
# Vial and carton labels for NUVAXOVID with English-only labelling

### Vial



NUVAXOVID™ 5 mL Dispersion for injection COVID-19 Vaccine (recombinant, adjuvanted)

### Intramuscular use

10 doses of 0.5 mL


# Store in a refrigerator.

After first puncture, store at 2°C to 25°C, use within 6 hours. Novavax

Date: Time:

Lot: EXP.:

#### Carton



## Principle display panel:

NUVAXOVID™ 5 mL
Dispersion for injection
COVID-19 Vaccine (recombinant, adjuvanted)

### Intramuscular use

10 multidose vials Each vial contains **10 doses** of 0.5 mL Novavax

#### Back panel:

Each dose contains 5 micrograms of SARS-CoV-2 recombinant spike protein adjuvanted with Matrix- M.

Adjuvant Matrix-M: Fraction-A and Fraction-C of Quillaja saponaria Molina extract.

Excipients: disodium hydrogen phosphate heptahydrate, sodium dihydrogen phosphate monohydrate, disodium hydrogen phosphate dihydrate, sodium chloride, polysorbate 80, cholesterol, phosphatidylcholine (including all-rac-a-Tocopherol) potassium dihydrogen phosphate, potassium chloride, sodium hydroxide, hydrochloric acid, and water for injections.

Read the package leaflet before use.

Store in a refrigerator. Do not freeze.

Store in the original carton in order to protect from light.

After first puncture, store at 2°C to 25°C, use within 6 hours.

# Side panel:

 $NUVAXOVID^{TM}$  5 mL Dispersion for injection

COVID-19 Vaccine (recombinant, adjuvanted)

# Intramuscular use

# [QR code]

For more information, scan or visit NovavaxCovidVaccine.com

# Side panel:

NUVAXOVID™ 5 mL
Dispersion for injection
COVID-19 Vaccine (recombinant, adjuvanted)

### Intramuscular use

EU/1/21/1618/001 Novavax CZ a.s. Bohumil 138, Jevany, 28163, Czechia

# Top panel:

Lot: EXP.: barcode