




## Appendix A – Vial and carton labels for Janssen COVID-19 Vaccine with English-only labelling

### Vial

Non-US Orange Label – Product with an orange panel sticker on the carton: Vial label	Non-US White Label – Product with all white carton panels: Vial label
 <p>AW_176976</p> <p><b>COVID-19 Vaccine Janssen</b></p> <p>COVID-19 vaccine (Ad26.COVS2-S (recombinant))</p> <p><b>IM injection</b></p> <p><b>5 doses of 0.5 mL</b></p> <p>Discard date/time:</p> <p>Lot EXP</p> <p>7pt</p> <p>6pt</p> <p>5pt</p>	 <p>AW_175362</p> <p><b>Janssen COVID-19 Vaccine</b></p> <p>COVID-19 vaccine (Ad26.COVS2-S (recombinant))</p> <p><b>IM Injection</b></p> <p><b>5 doses of 0.5 mL</b></p> <p>After first use, hold at 2°C to 8°C (36°F to 46°F). Discard after 6 hours. Record date and time of first use:</p> <p>Expiry: <a href="http://www.vaxcheck.jnj">www.vaxcheck.jnj</a></p> <p>Lot</p> <p>6pt</p> <p>5pt</p> <p>5pt</p> <p>5pt</p> <p>5pt</p> <p>5pt</p>
<p>COVID-19 Vaccine Janssen          COVID-19 vaccine (Ad26.COVS2-S) (recombinant))          IM Injection          5 doses of 0.5 mL          Discard date/time:</p> <p>Lot          EXT</p>	<p>Janssen COVID-19 Vaccine          COVID-19 vaccine (Ad26.COVS2-S) (recombinant))          IM Injection          5 doses of 0.5 mL          After first use, hold at 2°C to 8°C (36°F to 46°F).          Discard after 6 hours.          Record date and time of first use:          Expiry:  <a href="http://www.vaxcheck.jnj">www.vaxcheck.jnj</a>          Lot</p>

## Carton

### Non-US Orange Label – Product with an orange panel sticker on the carton: Carton label



10 multidose vials  
Each vial contains 5 doses of 0.5 mL  
COVID-19 Vaccine Janssen  
Suspension for injection  
COVID-19 vaccine  
(Ad26.COV2-S (recombinant))  
Intramuscular use

Excipients: 2-hydroxypropyl- $\beta$ -cyclodextrin (HBCD), citric acid monohydrate, ethanol, hydrochloric acid, polysorbate-80, sodium chloride, sodium hydroxide, trisodium citrate dihydrate, water for injections

Store at 2 to 8°C including after first use. DO NOT FREEZE.

Discard punctured vial after 6h. Store vials in the original carton to protect from light. Retain carton for expiry date.

For complete storage and other product information see Product Monograph at [www.janssen.com/canada/products](http://www.janssen.com/canada/products) or call 1-800-565-4008 (toll free) or 1-908-455-9922 (US toll) or visit [www.janssenmedicalinformation.ca](http://www.janssenmedicalinformation.ca)

GTIN

Lot:

EXP:

**Non-US White – Product with all white carton panels: Carton label**



10 multidose vials  
 Each vial contains 5 doses of 0.5 mL  
 Janssen COVID-19 Vaccine  
 Suspension for injection  
 COVID-19 vaccine  
 (Ad26.COV2-S (recombinant))  
 Intramuscular use  
 5 doses of 0.5 mL

Excipients: 2-hydroxypropyl-β-cyclodextrin (HBCD), citric acid monohydrate, ethanol, hydrochloric acid, polysorbate-80, sodium chloride, sodium hydroxide, trisodium citrate dihydrate, water for injections

Store at 2°C to 8°C (36°F to 46°F), including after first use. Discard after 6 hours of first use. Do not freeze. Store vial in the original package to protect from light. Read the package leaflet before use.  
Record expiry date:

GTIN

Lot

Mfg. Date

Expiry date and package leaflet: Scan this QR code using your device or go to [www.vaxcheck.jnj](http://www.vaxcheck.jnj) or call Intl toll free (limited countries):  
[intl prefix] +800-565-4008-8 Or Toll: [Intl prefix] +1-908-455-9922